

1/10

FIG.1





FIG.2



2/10

FIG.3





FIG.4



3/10

FIG.5





FIG.6



4/10

FIG.7





FIG.8



5/10

FIG.9





FIG.10



6/10

FIG. 11

		RESULTS OF EYE OBSERVATION				
		GRADATION/ CHROMATICITY VARIATION		UPWARD DIRECTION AT 60 DEG.	GRADATION/ CHROMATICITY VARIATION	
REF.	EMBODIMENT	TRANS- MITTANCE		FRONTAL DIRECTION	GRADATION/ VIEWING ANGLE CHARACTERISTICS	
		CELL THICKNESS (μm)	THICKNESS OF DIELECTRIC LAYER (μm)	UPWARD DIRECTION AT 60 DEG.	GRADATION/ VIEWING ANGLE CHARACTERISTICS	GRADATION/ CHROMATICITY VARIATION
	... REF.	3.6	...	1.00	0.11	0.13
1-1	0.5	3.6	...	0.90	0.06	0.09
1-2	0.5	4.3	...	0.98	0.11	0.17
1-3	0.3 0.5 0.7	4.3	...	0.99	0.05	0.11
1-4	0.5	4.7 4.3 3.5	...	0.98	0.01	0.03
1-5	0.5	4.3	...	0.96	0.01	0.02
1-6	...	3.6	...	0.93	0.07	0.10

7/10

FIG.12





FIG.13



8/10

FIG.14





FIG.15



9/10

FIG.16





FIG.17



10/10

FIG.18




FIG.19

